




PAEDIATRIC TUBE GUIDE




EDTA



SST Gel



**Sodium
Citrate**



**Plain
Clot**



**Lithium
Heparin**

TEST		MINIMUM VOLUME
Bilirubin	SST	0.5 ml
Biochemistry (Full)	SST	2.0 ml
Blood Group	Clot	0.5 ml
Chromosomes	Heparin	1.0 ml
CK	SST	0.5 ml
Coags (INR, apTT)	Citrate	2.0 ml
Coombs	EDTA	0.5 ml
Endomysial Ab	SST	0.5 ml
ESR	EDTA	0.5 ml
EUC (Electrolytes, Urea, Creatinine)	SST	1.0 ml
FBC (Full Blood Count)	EDTA	0.5 ml
Fe, Iron Studies	SST	0.5 ml
Fragile X	EDTA	0.5 ml
G6PD	EDTA	0.5 ml
Gentamycin	SST	0.5 ml

TEST		MINIMUM VOLUME
Glu (GLucose, BSL)	SST	0.5 ml
Ig (Immunoglobulins)	SST	0.5 ml
Lead (Pb)	EDTA	0.5 ml
Lithium	SST	1.0 ml
Liver Function Test (LFT)	SST	1.0 ml
Magnesium	SST	0.5 ml
Phenobarb	SST	0.25 ml
RAST	SST	0.5 ml
Reticulocytes	EDTA	0.5 ml
Rubella	SST	0.5 ml
TFT (Free T4 and TSH)	SST	0.75 ml
TSH	SST	1.0 ml
TTG (Tissue Transglutaminase)	SST	1.0 ml
Vitamin D 1,250H	SST	0.2 ml
Vitamin D 250H	SST	0.6 ml

Maximum amount of blood to be collected from children under the age of 14

WEIGHT (kgs)	Maximum (mls)
2.7-3.6	2.5
3.6-4.5	3.5
4.5-6.8	5
6.8-18.2	10
18.2-27.3	20
27.3-29.5	25
29.5-45.5	30

If it is not possible to obtain the minimum amounts, please phone DSC for advice.

Doctor's Service Centre (DSC) 02 6285 9803

Labelling must include surname, first name, date of birth, date and time of collection.

For any other tests please refer to the Capital Pathology Handbook or contact the laboratory on 02 6285 9803.